

PAXFOCUS INDOOR WALL MOUNTED FIREPLACE



European Home

Manufacturer and Importer of high-end Gas, Wood and Electric Fireplaces



Iconic designs imported
from Southern France



SPECIFICATIONS

FUEL TYPE	Wood (WD), Natural Gas (NG), or Liquid Propane (LP)
NOMINAL HEAT OUTPUT (WD)	4.5 KW
HEAT OUTPUT (NG)	27,000 - 42,000 BTU/hr
HEAT OUTPUT (LP)	27,000 - 43,500 BTU/hr
VIEWABLE OPENING	29 1/8" W x 8" H
HEARTH WEIGHT	112 lbs.
FLUE WEIGHT	11 lbs.
ANCHOR PLATE WEIGHT	22 lbs.
MINIMUM CEILING HEIGHT	8' 6"
VENTING	Natural Vent - 8" Inside Diameter (Class A Pipe)
CERTIFICATION	UL 737-1996 (U.S.A.) & ULC-S627-00 (CAN) - Vented Wood Fireplaces
CARBON DIOXIDE OUTPUT (WD)	0.15%
EFFICIENCY	53.3%

PRODUCT OPTIONS & ACCESSORIES

FIREPLACE MODEL

PRODUCT	ITEM CODE
PAXFOCUS	FCS-FP-PAX

BURNER ASSEMBLY

PRODUCT	ITEM CODE
PAXFOCUS - Vented Natural Gas	FCS-GBK-PAX-NG-02
PAXFOCUS - Vented Liquid Propane	FCS-GBK-PAX-LP-02

FINISHING PLATE / COVER DISK WITH COLLAR

PRODUCT	ITEM CODE
For Flat Ceiling	FCS-NSUSCD-Collar-P-0
For Pitched Ceiling	FCS-NSUSCD-Collar-P-(<i>degree of pitch</i>)

ADDITIONAL FLUE PIPE

PRODUCT	ITEM CODE
Round Flue 8" OD 2' Length	FCS-FLUE-RND-8OD-2
Round Flue 8" OD 4' Length	FCS-FLUE-RND-8OD-4
Round Flue 8" OD 6' Length	FCS-FLUE-RND-8OD-6

FIRE MEDIA





LOG SET

PRODUCT	ITEM CODE
LOG SET	FCS-FM-LS

OPTIONAL ACCESSORIES

PRODUCT	ITEM CODE
BLACK SPRAY PAINT 150 ML	FCS-PT-FBP-Small
BLACK SPRAY PAINT 400 ML	FCS-PT-FBP-Large


CUT SHEET



	A	B	C	D	E	F	G	H	I	J	K	L
INCH	67 1/2"	26 3/8"	29 1/8"	40 9/16"	20"	7 7/8"	Ø 8 5/8"	8"	Ø 8 1/16"	Ø 37 3/8"	25 9/16"	6 7/8"
[MILLIMETER]	[1715]	[670]	[740]	[1030]	[500]	[199]	[Ø 219]	[203]	[Ø 205]	[Ø 950]	[650]	[175]

WALL MOUNT

For **EMIFOCUS** and **PAXFOCUS** Models



LETTER	A	B	C	D	E	F	G	H	I	J
INCHES [MILLIMETER]	18 3/4" [476]	16 3/16" [411]	6 5/16" [161]	8" [203]	5" [125]	5" [125]	17 5/16" [440]	12 3/4" [323]	10" [250]	15 3/4" [400]