

PAXFOCUS INDOOR WALL MOUNTED FIREPLACE



European Home

Manufacturer and Importer of high-end Gas, Wood and Electric Fireplaces



Iconic designs imported from Southern France



SPECIFICATIONS

| | |
|-----------------------------------|--|
| FUEL TYPE | Wood (WD), Natural Gas (NG), or Liquid Propane (LP) |
| NOMINAL HEAT OUTPUT (WD) | 4.5 KW |
| HEAT OUTPUT (NG) | 27,000 - 42,000 BTU/hr |
| HEAT OUTPUT (LP) | 27,000 - 43,500 BTU/hr |
| VIEWABLE OPENING | 29 1/8" W x 8" H |
| HEARTH WEIGHT | 112 lbs. |
| FLUE WEIGHT | 11 lbs. |
| ANCHOR PLATE WEIGHT | 22 lbs. |
| VENTING | Natural Vent - 8" Inside Diameter (Class A Pipe) |
| CERTIFICATION | UL 737-1996 (U.S.A.) & ULC-S627-00 (CAN) - Vented Wood Fireplaces |
| CARBON DIOXIDE OUTPUT (WD) | 0.15% |
| EFFICIENCY | 53.3% |

PRODUCT OPTIONS & ACCESSORIES

FIREPLACE MODEL

| PRODUCT | ITEM CODE |
|----------|------------|
| PAXFOCUS | FCS-FP-PAX |

BURNER ASSEMBLY

| PRODUCT | ITEM CODE |
|----------------------------------|-------------------|
| PAXFOCUS - Vented Natural Gas | FCS-GBK-PAX-NG-02 |
| PAXFOCUS - Vented Liquid Propane | FCS-GBK-PAX-LP-02 |

FINISHING PLATE / COVER DISK WITH COLLAR

| PRODUCT | ITEM CODE |
|---------------------|--|
| For Flat Ceiling | FCS-NSUSCD-Collar-P-0 |
| For Pitched Ceiling | FCS-NSUSCD-Collar-P-(<i>degree of pitch</i>) |

ADDITIONAL FLUE PIPE

| PRODUCT | ITEM CODE |
|----------------------------|--------------------|
| Round Flue 8" OD 2' Length | FCS-FLUE-RND-8OD-2 |
| Round Flue 8" OD 4' Length | FCS-FLUE-RND-8OD-4 |
| Round Flue 8" OD 6' Length | FCS-FLUE-RND-8OD-6 |

FIRE MEDIA



LOG SET

| PRODUCT | ITEM CODE |
|---------|-----------|
| LOG SET | FCS-FM-LS |

OPTIONAL ACCESSORIES

| PRODUCT | ITEM CODE |
|--------------------------|------------------|
| BLACK SPRAY PAINT 150 ML | FCS-PT-FBP-Small |
| BLACK SPRAY PAINT 400 ML | FCS-PT-FBP-Large |

CUT SHEET

