

E-FX 1800 ELECTRIC FIREPLACE - VERSION 2



EuropeanHome

Manufacturer and Importer of high-end Gas, Wood and Electric Fireplaces



Award-winning designs
imported from the UK



SPECIFICATIONS

FLAME EFFECT	Powered by Electricity
POWER SUPPLY	15 Amp, 120 Volt Circuit
WEIGHT	168 lbs.
VIEWABLE OPENING	70 7/8" W x 17 3/16" H
HEAT OUTPUT	1,500W (5,115 BTU/hr)
CONFIGURATIONS	3-Sided Corner Style Single-Sided
VENTING	N/A
FRONT	UHD Non-Reflective Glass
INTERIOR	Reflective Glass - Standard Non-Reflective Glass - Optional
REMOTE CONTROL	Remote, Google Home, Alexa
CERTIFICATION	UL 2021:2015Ed.4+R:02Feb2021, CAN/CSA E60335-2-30:2013Ed.3+A1;A2

PRODUCT OPTIONS & ACCESSORIES



- Ultra Black 3-dimensional realism.
- Preset and user favorite programmable animations.
- Customizable colors.
- Variable flame speed.
- Variable lighting control.
- Fully animated and illuminated LED log effects.
- Interior rear reflective glass standard, non-reflective glass optional.
- Remote and App controlled.
- Works with Google Home and Amazon Alexa.
- Decorative front rail and heating system.
- Side handles for easier moving.
- New power cable system that can exit from the side, top or rear for easier installation.

ALL E SERIES ELECTRIC FIREPLACES SHIP AS A 3-SIDED MODEL WITH **FIRE MEDIA**
THAT CAN EASILY TRANSFORM IT INTO A CORNER STYLE OR
SINGLE-SIDED UNIT.

FIREPLACE MODEL


PRODUCT	ITEM CODE
E-FX 1800 VERSION 2	FLR-FP-EFX-1800-V2




LOGS with ANIMATED EFFECTS

CUT SHEET


TOP VIEW



FRONT VIEW



SIDE VIEW



LETTERS	A	B	C	D	E	F	G	H	I
INCHES	70 ⁷ / ₈ "	⁷ / ₈ "	11 ³ / ₁₆ "	12 ⁵ / ₈ "	4 ⁵ / ₁₆ "	26 ¹ / ₈ "	4 ⁹ / ₁₆ "	72 ⁵ / ₈ "	17 ³ / ₁₆ "
[MILLIMETERS]	[1800]	[22]	[300]	[320]	[110]	[663]	[116]	[1844]	[437]

All products are protected by patents. Registered design and intellectual property rights.
Flamerite Fires Ltd will Protect these rights.

All specifications are correct at time of publishing and are subject to change.
Issues No. 1

E-FX 1800 ELECTRIC FIREPLACE - VERSION 2

