OPTIC 50 ELECTRIC FIREPLACE





High-End Affordability



SPECIFICATIONS

FLAME EFFECT	Powered by Electricity
POWER SUPPLY	15 Amp, 120 Volt Circuit
WEIGHT	98 lbs.
VIEWABLE OPENING	43 5/8"W x 12"H
FRAME	50″W x 18 3/8″H
HEAT OUTPUT	1,500W (5,115 BTU/hr)
VENTING	N/A
REMOTE CONTROL	Yes
CERTIFICATION	UL Approved

PRODUCT OPTIONS & ACCESSORIES

FIREPLACE FEATURES

- Designed and developed by European Home •
- Realistic Flame Effects •
- Flame Height and Speed Adjustment •
- **Preset Flame Options** •
- **Remote Control**
- **Built-in Heater**
- **UL** Listed
- Savings of 24% to 60%

ALL E SERIES ELECTRIC FIREPLACES SHIP AS A 3-SIDED MODEL WITH FIRE MEDIA THAT CAN EASILY TRANSFORM IT INTO A CORNER STYLE OR SINGLE-SIDED UNIT.

FIREPLACE MODEL

PRODUCT	ITEM CODE		
OPTIC 50	SH-FP-OPT-50		



WOODLAND (STANDARD)



CARRARA PEBBLES




SEASHORE

PRODUCT	ITEM CODE
WOODLAND (STANDARD)	SH-FM-LOG-OPT-50
CARRARA PEBBLES	SH-FM-WHTP-Signal-40
FALLEN BIRCH	SH-FM-FB-Optic-50
SEASHORE	SH-FM-WHTP-Optic-50

CUT SHEET

FRONT VIEW



	A	В	С	D	E	F	G
INCH	43 5⁄8″	12″	50″	18 ¾″	47 %16″	8 ¼16″	17 5⁄8″
[MILLIMETER]	[1108]	[305]	[1270]	[467]	[1208]	[205]	[448]

	Weight
POUNDS	98
[KILOGRAMS]	[44.5]

Description	See-Though Electric Appliance
Туре	Electric Appliance
Voltage	120V AC
Watts	MAX 1500W
Amps	Dedicated 15 Amp Grounded Circuit